

CENTAURUS B3

	Method	Min	Max	Typical
Color				Green
Texture				Tacky
Thickening agent				Calcium soap
Dropping point (°C)	ASTM D 566	90		99
Penetration (mm/10)	unworked ASTM	D217		230

Worked 60 x		220	250	235
Acidity (%)	ASTM D 128		0.3	0
Alkalinity (%)	ASTM D 128		0.3	0.10
Water content (%)	ISO 3733		0.6	0.4
Water resistance	DIN 51807		0/1-40	0-40
Base oil specification				
Viscosity at 40°C (Cst)	ASTM D 445			110
Viscosity at 100°C (Cst)	ASTM D 445			8.5
Flash point (°C)	ASTM D 93			213
Pour point (°C)	ASTM D 97			-21